


Opioids have well established side effects and repeated administration may cause tolerance and dependence. The aim of this measure is to encourage the appropriate use and review of opioids in primary care, minimising the potential for dependence, diversion, misuse and adverse drug reactions.



GLOSSARY


- ADQs average daily quantity a measure of prescribing volume based upon prescribing behaviour in England. It represents the assumed average maintenance dose per day for a medicine used for its main indication in adults. ADQ is not a recommended dose but an analytical unit to compare prescribing activity.
- DDDs defined daily dose a unit of measurement developed by the World Health Organization whereby each medicine is assigned a value within its recognised dosage range. The value is the assumed average maintenance dose per day for a medicine when used for its main indication in adults. A medicine can have different DDDs depending on the route of administration.
- STAR-PUs specific therapeutic group age-sex related prescribing units designed to measure prescribing weighted for age and sex of patients. There are differences in the age and sex of patients for whom medicines in specific therapeutic groups are usually prescribed. To make such comparisons, STAR-PUs have been developed based on costs of prescribing or items within therapeutic groups.

performance IMPROVED


Gabapentin and pregabalin



Both gabapentin and pregabalin have the propensity to cause depression of the central nervous system, and when used in combination with other depressants they can cause drowsiness, sedation, respiratory failure and death. The aim of this measure is to encourage the appropriate use and review of gabapentin and pregabalin in primary care, minimising the potential for dependence, diversion, misuse and adverse drug reactions.



The widespread and often excessive use of antimicrobials is one of the main factors contributing to the increasing emergence of antimicrobial resistance. The aim of this measure is to encourage the appropriate prescribing of all antibiotics in primary care.




7.5% in 2018-2019

4C antimicrobial prescribing



The use of the broad spectrum antibiotics known as 4C antimicrobials (co-amoxiclav, cephalosporins, clindamycin and fluoroquinolones) when narrow spectrum antibiotics remain effective increases the risk of healthcare associated infections (e.g. *Clostridioides difficile*, methicillin-resistant *Staphylococcus aureus* and resistant urinary tract infections). The aim of this measure is to reduce variation and overall prescribing of 4C antimicrobials in primary care.




Primary care

Low priority for funding



A series of 'Low Priority for Funding' papers endorsed by the All Wales Medicines Strategy Group recommend decreased prescribing of a range of items considered as not suitable for routine prescribing; whether they are items of low clinical effectiveness or items where more cost-effective alternatives are available. The data below displays the money saved (per 1,000 patients) due to reduced spend on items listed within these papers.


Differences in spend (£ per 1,000 patients) between financial years 2017-2018 and 2018-2019



Aneurin Bevan achieved a saving of **19.5%** in 2018-2019 Out of the 7 health boards, Aneurin Bevan is ranked:

% reduction in spend in 2018-19 : 4th

total spend per 1,000 patients : 4th A biosimilar medicine is a biological medicine that is developed to be highly similar and clinically equivalent to an existing biological medicine. The aim of this measure is to increase the appropriate use of cost-efficient biological medicines, including biosimilar medicines.




When compared with the previous year, Aneurin Bevan's performance **IMPROVED** Biosimilar prescribing (as a % of total biologic) increased by **10.6%** in 2018–2019 Out of the 6 health boards*, Aneurin Bevan is ranked: % change from last year : 5th Current overall performance : 3rd

*Powys is not included in this measure.


Access to medicines

New Treatment Fund

The New Treatment Fund requires the seven health boards to make recommended medicines available as soon as is reasonably practicable and certainly within 60 days of AWMSG/NICE approval. The data below displays the proportion of medicines made available on formulary within 60 days and the average time (in days) until their inclusion, following AWMSG/NICE approval.



Average time (days) to inclusion of medicines on formulary



Out of the 7 health boards, Aneurin Bevan is ranked:

% of medicines on formulary within 60 days : 6th in 2018-2019 Average time to inclusion of medicines on formulary : 2nd in 2018-2019